

ON SITE CONNECTION

10AMP TIGS PG 5

KIT OUT THE WORKSHOP

MIG & PLASMA SPARE KITS PG 11

New Zealand Limited

Esseti New Zealand Ltd PO Box 4189 Palmerston North 711 Tremaine Avenue Palmerston North New Zealand









7.2kg C/w 4m Arc Set (incl.Twist Type Electrode Holder) Tig Torch is Optional and Extra RAZORWELD ABC₁₆ **ARC180 180 AMP DC MMA/TIG** • 180 Amp - 230V Industrial Application MMA (stick electrode) Selectable On/Off VRD - Hot Start, Arc Force • DC-TIG - Lift Arc Ignition · Generator Compatible - 8.2KVA Compliant to AS/NZ 60974-1 230V - 1Ph Power Supply Duty Cycle @ 40°C 20% @ 180A @ 25°C 40% @ 180A Current Range MMA 30 - 180A 10 - 180A Current Range TIG OCV (VRD Off) 77V 8.2 KVA 4.7kg C/w 4m Arc Set and Heavy-Duty Safe Case (incl.Twist Type Electrode Holder) Tig Torch is Optional and Extra RAZORWELD ARC200 **ARC200 PFC** 200 AMP DC MMA/TIG Clear Vision Technology Intelligent Synergic Control Power Factor Correction (PFC) MMA (Stick) with Adjustable Anti-stick, Hot Start & Arc Force DC-TIG - Smart Lift TIG Wireless Remote Control Ready Generator Compatible Compliant to AS/NZ 60974-1 Power Supply 230V - 1Ph 25% @ 200A

40% @ 200A

20 - 200A

10 - 200A

6.8 KVA

7.6kg

78V

230V - 1Ph

15% @ 160A

35% @ 160A

20 - 160A

10 - 160A

5.0 KVA

78V



Including GST \$673.04 excluding GST XA-RZARC160PFC-K

ARCI60

\$**690**.00 **Including GST** \$600.00 excludina GST XA-ARC180RZ-K



\$**927**.00 **Including GST** \$806.09 excluding GST XA-R7ARC200PFC-K



Page 5



\$804.35 excluding GST

XASP24-24-P1-60ER

\$852.17 excluding GST

XASP36-24-P1-60ER

Including GST \$43.04 excluding GST





SYNERGIC MIG120 SINGLE KNOB CONTROL

Makes it easy for those with little or no experience to be able to MIG weld. Choose your wire size turn the heat up or down as required to suit the job.

- MIG Gas, Gasless capability
- 1Kg Spool Size
- Automatic Burn Back
- Small, Compact, Portable
- Light Weight 5.2kg
- Fitted with 10 Amp Domestic Plug
- Generator Compatible 4.5kVA
- Certified & Approved to AS/NZS 60974-1

Power Supply	230V - 1Ph
Duty Cycle @ 40°C	10% @ 120A
@ 25°C	25% @ 120A
Current Range	40 - 120A
Wire Sizes	0.6, 0.8, 0.9mm

/ \ |

BONUS Spool of Gasless Mig Wire

\$**440**.00

Including GST

\$382.61 excluding GST

XA-MIG120V-K

0

\$1,239.00 Including GST

\$1,077.39 excluding GST

XA-MIG185V-K

Supplied with Fixed Mig Torch, Earth Lead, Drive Roller Set, 1kg Spool Gasless Wire. Regulator is Optional & Extra

VIPER MIG185 180 AMP DC MIG/TIG/MMA

- Modern IGBT Inverter Technology
- MIG Gas/Gasless Capability
- Wire Inch / Burn Back Control
- Welds Excellent with CO2 Gas
- 5kg Spool Capacity
- Euro Torch Connection
- MMA Electrode Hot Start
- Compliant to AS/NZ 60974-1

Power Supply Duty Cycle @ 40°C @ 25°C Current Range MIG Current Range MMA Rated Power l *i*eff 553x214x388 Dimensions (mm) Weight 12.0kg

230V - 1Ph 10% @ 180A 25% @ 180A 30 - 180A 10 - 160A 7.1 KVA 9.8 Amps

C/w 3m XA15 Suregrip™ BZL Series Mig Torch, Arc Set x 3m, Twin Gauge Argon Regulator Tig Torch is Optional and Extra

VIPER TIG180 AC/DC 180 AMP AC⁴DC TIG/MMA

- HF Arc Start
- 2/4T Trigger Function
- AC Square Wave
- AC Balance & Frequency Control
- Full Digital Pulse Functionality
- Remote Amperage Capable
- MMA with VRD
- Pre & Post Gas Flow Control

• Compliant to AS/NZ 60974-1 Power Supply 230V - 1Ph Duty Cycle @ 40°C 15% @ 180A @ 25°C 40% @ 180A Current Range TIG 5 - 180A Current Range MMA 10 - 130A

Rated Power 8.0 KVA 10 Amps l *i*eff Dimensions (mm) 502x218x382 Weight 7.5kg

C/w ARC T2FX x 4m Flexi-Neck TIG Torch. Arc Set x 4m, Argon Flow Regulator







SYNERGIC MIG165 165 AMP DC MIG/TIG/MMA

- MIG Gas/Gasless Capability
- Synergic & Manual MIG •
- MIG Inductance Control .
- 2T/4T Trigger Control • DC TIG - Lift Arc
- 5kg Spool Capacity
- Euro Torch Connection
- Compliant to AS/NZ 60974-1

230V - 1Ph Power Supply 10% @ 165A MIG Duty Cycle @ 40°C Duty Cycle @ 25°C 25% @ 165A MIG Current Range MIG 30 - 165A Current Range MMA 20 - 140A Current Range TIG 20 - 160A Dimensions (mm) 500x210x385 Weight 10kg

C/w 3m XA15 Suregrip™ BZL Series Mig Torch, Arc Set x 3m, Twin Gauge Argon Regulator Tig Torch is Optional and Extra

VIPER TIG200P 200 AMP DC PULSE TIG

- Modern IGBT Inverter Technology
- DC TIG HF Arc Ignition
- 2T/4T Trigger
- Post Gas Flow Control
- Remote Amp Control from Torch

 Compliant to AS/NZ 	00974-1
Power Supply	230V - 1Ph
Duty Cycle @ 40°C	30% @ 200
@ 25°C	60% @ 200
Current Range TIG	10 - 200A
Current Range MMA	10 - 160A
Rated Power	8.0 KVA
Dimensions (mm)	420x160x3
Weight	7.5ka

Modern IGBT Technology

· Contact Start Capable

· Drag Cutting Capable

Power Supply

Current Range

Rated Input

Rated Output

Clean Cutting

Sever Cutting

Air Flow Draw

Dimensions (mm)

Earth Lead x 3m

Air Pressure

Weight

Duty Cycle @ 40°C

· Pilot Arc Non Contact Start

· Pre-set Air with Auto Drain

Remote Amp Control, Arc Set x 4m, Argon Flow Regulator





Including GST \$913.04 excluding GST XA-CUT30VMK2-K







30

Page 8

C/w 8m XA17FX Suregrip[™] Series Tig Torch with

20 - 30A

12mm Steel

170 (L/min)

70-87 psi

8.5kg

C/w SureCut™ SC40 Plasma Torch x 4m &

7.5 kVA

92V



Scheric Strain S

\$70.77 excluding GST

RAZOR SHIELD **DIGITAL WELDING MASK**

Auto-Darkening Goggles MIG • MMA • TIG • Plasma • Gas Intergal LED Headlamp

- External Digital Control Panel
- Weld, Cut & Grind Modes
- Sensitivy & Delay Control
- 2 x Arc Sensors
- External LED Headlamp
- Low Profile Design
- Respirator Half Mask Compatible

Technical Data

Reaction Time Arc Sensors Classification Dark State Shades Time from Dark to Light Sensitivity Setting **Delay Control** Power Supply Min TIG Amperage **Compliant Standard**

0.08ms 1/1/1/2 5-9/9-13 0.01-0.9s Adjustable Adjustable Battery, Solar Cells 5 Amps AS/NZS 1338.1:2012

EAR

Kit Contents: RazorShield Goggles, Face Mask, Hood, LED Lamp, Head Band, Elastic Band, Spare Cover Lens

2

RAZORWELD WELDING RESPIRATOR NOW WITH EXTERNAL AS/NZS P2 PROTECTION

Powered air purifying respirators (PAPR) protect your respiratory system against harmful particles and/or gases and vapours, provided that enough oxygen is present in the ambient air and the hazardous substance is known. Using a powered respirator you have virtually no breathing resistance. The RazorWeld PAPR is supplied with a high-quality welding helmet that includes full digital controls and a backlit LCD display. The large 100mm x 83mm viewing area is activated by four independent sensors and the shell fitted with an integral hood and fitted airflow harness.

- Positive pressure system
- Long lasting P3 filter
- Auto shutdown mode
- 3 airflow levels
- Low airflow / low battery alarm
- Side or rear mount of blower unit
- Digital 4 sensor auto darkening helmet
- AS/NZS 1716:2012 approved
- Warranty 1 year Blower Unit
- Warranty 2 years Welding Helmet



ELITEVISION **GRIND BUTTON**

\$**239**.00

Including GST

\$207.83 excluding GS1

XA-SHIFLD

ELITEVISION





The Elipse® Half-Mask P2 Respirator combines a particulate filter with an activated carbon cloth to provide a minimum 99.95% filtration against odours, dust, all types of fumes, oil and water mists and micro-organisms. It is designed to fit under most welding helmets and welding masks.

- Approved to AS/NZS 1716:2012 as a P2 Reusable Respirator, as the P3 filters are fitted on Half Mask.
- Latex and silicone-free, lightweight TPE face piece that is comfortable to wear for long periods of time.
- Low profile filters provide an unobstructed view. Compatible with other PPE safety products
- including visors and welding helmets.

XA-MASK-SM Elipse P2 Welding Mask - Small/Medium XA-MASK-ML Elipse P2 Welding Mask - Medium/Large

P3 REPLACEMENT FILTER SET

Replacement filters for the Elipse® Half-Mask P2 Respirator. P3 >99,95% for 0,3 μ particulate. Mechanical type multi-layer HESPA Synthetic media with TPE flexible overmolded / encapsulated. Glued additional carbon activated impregnated media XA-FILTER-TP Replacement P3 Filter Pack



Including GST

\$68.65 excluding GST

\$30.00 excluding GST



WELDING FUME EXTRACTOR **230V SINGLE PHASE**

Portable fume extraction system with moveable and flexible arm. Capable of filtering an area of up to 8 cubic metres. Provides easy & effective protection against harmful emissions of welding fumes and grinding dust. Internal collection tray for removal of particles and fitted with long-life filter element.

WARNING! WORKSAFE NEW ZEALAND Prolonged exposure to welding fumes is a serious hazard to workers respiratory health.

Welding and hot cutting produce metal and fluxing fumes made up of toxic gases and very fine particles Inhaling welding fumes can cause ill health.

- Acute bronchitis
- Airway irritation
- Occupational asthma
- Metal fume fever
- Pneumonitis
- COPD Chronic obstructive pulmonary disease
- Cancers
- Pneumoconiosis

Download the WORKSAFE Fact Sheet



Technical Data

Air Volume Air Suction Arm Motor Power Working Voltage Filtering Area Maximum Pressure Compressed Air Filtration Efficiency Noise Level Dimensions Weight Warranty

1000m3/h 0.75kw 240V/50Hz 1 Phase 8 0m³ 1900Pa 0.5-0.6MPa >99.9% $<74 \pm 5$ dB(A) 510x610x999mm $98 \pm 5 \text{Kg}$ 2 years

2000 ± 100m3/h







LAVASHIELD WELDING SCREENS PROTECTION AGAINST WELDING RAYS

LAVAshield welding screens are made with specially formulated vinyl 16mil. (0.4mm) thick to meet OSHA standards and Australian NZ Safety requirements. Screens are transparent and resistant to UV rays. flame and abrasion.Kevlar sewn & grommets at 270mm intervals. Screens fit within 1.8m x 1.8m Curtain Frame

Either Colour Same Price \$**79**.00 **Including GST**

\$68.70 excluding GST


XA-55-6466 RED XA-55-7466 GREEN

COMBO WELDING SCREEN FRAME **EASY TO ASSEMBLE & WITH CASTORS**

Assembles in less than 5 minutes, no tools reguired. Made of heavy-duty finished steel tubing for long lasting durability. Castor wheels provide ease of placement and adjustment to the welding area Frame width is 1.8m x 1.8m

COMBO JOINERS Included

Supplied with each frame, allows frames to be linked together to form a wall or shape to surround welding area. Ideal to form an instant welding bay.





PYREX GAS LENS KITS INCREASE YOUR TIG WELDING VISIBILITY







Pyrex Gas Lens Kit Medium Nozzle

Pyrex Gas Lens Kit Long Nozzle

Fat Boy Pyrex Gas Lens Kit Great for Titanium!

SUIT CONVENTIONAL DESIGN TIG TORCHES

Pyrex gas lens nozzles are ideal for TIG welding applications with limited visibility, such as in and around tubing and pipe as well as inside corners and bends. Pyrex gas lens nozzles also allow reduced shielding gas consumption, with savings of up to 40% compared to using traditional parts. The tungsten adaptor with replaceable mesh screen ensures a consistent gas flow pattern and allows the tungsten electrode to be extended up to six times the electrode diameter.

Code	Description	+GST	Inclusive
PGLK172616S	Pyrex Gas Lens Kit Medium Nozzle 1.6mm 17,18,26 Torch	\$25.00	\$28.75
PGLK172624S	Pyrex Gas Lens Kit Medium Nozzle 2.4mm 17,18,26 Torch	\$25.00	\$28.75
PGLK172616L	Pyrex Gas Lens Kit Long Nozzle 1.6mm 17,18,26 Torch	\$27.74	\$31.90
PGLK172624L	Pyrex Gas Lens Kit Long Nozzle 2.4mm 17,18,26 Torch	\$27.74	\$31.90
PGLFBK172616	Fat Boy Pyrex Gas Lens Kit 1.6mm 17,18,26 Torch	\$56.00	\$64.40
PGLFBK172624	Fat Boy Pyrex Gas Lens Kit 2.4mm 17,18,26 Torch	\$56.00	\$64.40



FIBRE WELDING BLANKET HEAT AND FLAME RESISTANT TO 1.000°C

NEW LIGHTWEIGHT AND FLEXIBLE WELDING BLANKET

Ideal to provide protection against sparks and welding spatter that can damage valuable objects in the workspace.



\$**210**.16 **Including GST** \$182.75 excluding GST XA-FWB1818

Size: 1.8m x 1.8m x 4.8mm



XAMSK36

PLASMA TORCH SPARES KITS FOR YOUR RAZORCUT PLASMA

	XCEL-ARC			
,	All the essential front end consumables for your razorcut plasma torches			
	Code	Description	+GST	INCL
	XAPSK-SC40	Plasma Starter Kit SureCut SC40	\$146.96	\$169.00
	XAPSK-SC80	Plasma Starter Kit SureCut SC80	\$364.35	\$419.00
	XAPSK-SC80-3	Plasma Starter Kit SureCut SC80 3-Ph	\$433.91	\$499.00
	XAPSK-SC120	NEW: Spares Starter Kit SureCut SC120	\$582.61	\$670.00

MIG TORCH PARTS KITS

+GST

\$60.87

\$68.70

\$68.70

\$86.96

\$86.96

ESSENTIAL FRONT END CONSUMABLES

INCL

\$70.00

\$79.00

\$79.00

\$100.00

\$100.00



XAPSK-SC40 Suits VIPER CUT30







XAPSK-SC80 Suits RAZOR CUT45 & CUT40PC

XAPSK-SC80-3 Suits RAZOR CUT80 w/ SC80 XAPSK-SC120 Suits RAZOR CUT120



HEAVY DUTY EXTENSION LEADS IDEAL FOR INVERTER WELDING MACHINES

HEAVY DUTY RUBBER SHEATHED CABLE

- Prevents Damaging Voltage Drop
- IP66 Water Proof Plug & Socket
- 2.5mm Copper Core Wire
- AS/NZ Standards Approved

Code	Description	+GST	INCL
XA-REL15A-10M	Xcel-Arc Rubber 10m Extension Lead	\$107.78	\$123.95
XA-REL15A-15M	Xcel-Arc Rubber 15m Extension Lead	\$134.74	\$154.95
XA-REL15A-20M	Xcel-Arc Rubber 20m Extension Lead	\$159.13	\$183.00

BRAIDED FOR MAXIMUM HEAVY DUTY ROBUST AND IDEAL FOR CONSTRUCTION SITES

BRAIDED DOUBLE SHEATHED CABLE

- Prevents Damaging Voltage Drop
- Crush and Cut Resistant ٠
- IP66 Water Proof Plug & Socket
- 2.5mm Copper Core Wire •
 - AS/NZ Standards Approved

Code	Description	+GST	INCL
XA-BEL15A-10M	Xcel-Arc Braided 10m Extension Lead	\$115.65	\$133.00
XA-BEL15A-15M	Xcel-Arc Braided 15m Extension Lead	\$154.78	\$178.00



Starter Kit Binzel Style 36

