

HIKOKI

WORKSITE SOLUTIONS

AUGUST - OCTOBER '23

5TH
ANNIVERSARY
SALE



BONUS
DEALS
INSIDE

5TH
ANNIVERSARY
SALE

BONUS

PURCHASE ANY OF THESE QUALIFYING KITS FROM
AUGUST - OCTOBER 2023.



G3613DVF(GRZ)



WR36DE(GRZ)



WH36DC(GGZ)



G3613DVE(GRZ)



WR36DA(GRZ)



C3607DA(GVZ)



M3612DA(GPZ)



DH36DMA(GAZ)



DH3628DC(GGZ)



C3610DRA(HAZ)

BATTERY

QUALIFYING POWER TOOL KITS BETWEEN
BONUS BATTERY VIA REDEMPTION.



C3610DRJ(HAZ)



KC36184DA(GRZ)



KC363DRBL(GRZ)



KC363DC(GRZ)



KC183DA(GRZ)



KC365DC(GRZ)



KC366DC(GRZ)



KC18365DA(GRZ)



KC18366DA(GRZ)



KC36DC(GRZ)



HiKOKI

New High Powered Circular Saw Bare Tools

NEW 36V Brushless 165mm Circular Saw BARE TOOL

C3606DB(G4Z)

- High Performance 36V brushless motor
- 165mm Blade - max cut 66mm at 90°
- Super compact and lightweight
- Bevel Capacity - max cut 45mm at 45°
- Durable, compact and lightweight design
- Silent mode allows for quieter operation
- Two ultra-bright LED lights
- Rotatable dust exhaust with quick release
- Easy to use switch lock
- Quick and easy blade change
- Soft start for smooth control

Supplied without batteries. charger.
Includes Blade, Wrench, Dust Exhaust.



36V

BRUSHLESS

Blade Dia.	Max Cut 90°	Max Cut 45°	Max Cut -5°	No Load Speed	Motor Type	Handle Type	Weight	Voltage
165mm	66mm	45mm	57mm	5,600/min	Brushless	D-Handle	3.5kg (BSL36B18)	36V

NEW 18V Brushless 165mm Circular Saw BARE TOOL

C1806DB(G4Z)

- High Performance brushless motor
- 165mm Blade - max cut 66mm at 90°
- Super compact and lightweight
- Bevel Capacity - max cut 45mm at 45°
- Durable, compact and lightweight design
- Silent mode allows for quieter operation
- Two ultra-bright LED lights
- Rotatable dust exhaust with quick release
- Easy to use switch lock
- Quick and easy blade change
- Soft start for smooth control

Supplied without batteries. charger. Includes Blade, Wrench, Dust Exhaust.



18V

BRUSHLESS

Blade Dia.	Max Cut 90°	Max Cut 45°	Max Cut -5°	No Load Speed	Motor Type	Handle Type	Weight	Voltage
165mm	66mm	45mm	57mm	4,500/min	Brushless	D-Handle	3.5kg (BSL36B18)	18V

36V High Powered Circular Saw Bare Tools

36V Brushless 185mm Rear Handle Circular Saw BARE TOOL

C3607DWA(G4Z)

- 185mm Blade - max cut 62mm at 90°
- Bevel Capacity - 53° with stops at 22.5°, 45°, and 53°
- Durable and lightweight magnesium base
- Electronic brake function
- 36V High Performance brushless motor
- Quick and easy blade change
- Clear site lines for fast accurate cuts
- Soft start for smooth control

Supplied without batteries, charger and case. Includes saw blade, dust port and wrench.



36V **BRUSHLESS**

Blade Dia.	Max Cut 90°	Max Cut 45°	Max Cut 53°	No Load Speed	Motor Type	Handle Position	Weight	Voltage
185mm	62mm	45mm	38mm	5,100/min	Brushless	Rear Handle	4.7kg (BSL36B18)	36V

36V Brushless 185mm Circular Saw BARE TOOL

C3607DA(G4Z)

- 185mm Blade - max cut 62mm at 90°
- Bevel Capacity - max cut 39mm at 55°
- Durable and lightweight design
- Silent mode allows for quieter operation
- 36V High Performance brushless motor
- Quick and easy blade change
- Overload protection
- Soft start for smooth control

Supplied without batteries, charger and case. Includes saw blade, dust port and wrench.



36V **BRUSHLESS**

Blade Dia.	Max Cut 90°	Max Cut 45°	Max Cut 55°	No Load Speed	Motor Type	Handle Position	Weight	Voltage
185mm	62mm	47.5mm	39mm	4,300/min	Brushless	Top	4.3kg (BSL36B18)	36V

36V Brushless 165mm Circular Saw BARE TOOL

C3606DA(G4Z)

- 165mm Blade - max cut 66mm at 90°
- Bevel Capacity - max cut 45mm at 45°
- Durable and lightweight design
- Silent mode allows for quieter operation
- 36V High Performance brushless motor
- Quick and easy blade change
- Soft start for smooth control

Supplied without batteries, charger and case. Includes saw blade, dust port and wrench.



36V **BRUSHLESS**

Blade Dia.	Max Cut 90°	Max Cut 45°	Max Cut -5°	No Load Speed	Motor Type	Handle Position	Weight	Voltage
165mm	66mm	45mm	57mm	4,300/min	Brushless	Top	3.5kg (BSL36B18)	36V

Heavy Duty High Powered Drilling Solutions

NEW 36V Brushless 13mm Right Angle Drill BARE TOOL

D36DYA(G4Z)

- Drilling capacity with up to 159mm hole saw
- Reactive Force Control with anti-kickback safety feature
- Heavy duty 13mm keyed chuck for superior bit retention
- 2-Speed gear box
- High performance 36V brushless motor
- Lightweight and well balance design
- Mechanical clutch
- Bright LED light

Includes side handle, chuck key.
Supplied without drill bit, battery, charger and case.



36V

BRUSHLESS

Clutch Type	Chuck Size	Steel	Wood	Hole Saw	No Load Speed	Motor Type	Weight	Length	Voltage
Mechanical	13mm Keyed	13mm	118mm	159mm	400/min (Low) / 1,500/min (Hi)	Brushless	13,9kg (BSL36A18)	650mm	36V

36V Brushless 20mm Heavy Duty Impact Drill BARE TOOL

DV3620DA(G4Z)

- Super heavy duty 36V brushless motor
- High torque drilling for heavy duty drilling applications
- Ideal for electricians, plumbers, and engineers
- Quick Impact / non-impact switch
- Masonry drilling up to 20mm capacity

Includes side handle and framing hook. Supplied without drill bit, battery, charger and case.



36V

BRUSHLESS

36V Brushless 13mm Heavy Duty Drill BARE TOOL

D3613DA(G4Z)

- Super heavy duty 36V brushless motor
- High torque drilling for heavy duty drilling applications
- Ideal for electricians, plumbers and engineers

Includes side handle and framing hook. Supplied without drill bit, battery, charger and case.



36V

BRUSHLESS

Model	Chuck Size	Wood	Steel	Masonry	No Load Speed	Motor Type	Weight	Length	Voltage
DV3620DA	1.5 - 13mm	40mm	13mm	20mm	0 - 1,000/min (Low) / 0 - 1,400/min (Hi)	Brushless	3,3kg (BSL36A18)	356mm	36V
D3613DA	1.5 - 13mm	40mm	13mm	N/A	0 - 1,000/min (Low) / 0 - 1,400/min (Hi)	Brushless	3,3kg (BSL36A18)	356mm	36V

Next Gen. High Torque Impact Drills with Gyro Sensor

NEW 36V Brushless 155Nm High Torque Impact Drill BARE TOOL

DV36DC(G4Z)

- 155Nm hard torque output
- Reactive Force Control with Gyro Sensor delivers additional Anti-Kickback safety for users
- Highest power in it's class - new optimally designed 36V brushless motor and inverter circuit allows for continuously high speed and under load operation
- 13mm heavy-duty metal keyless chuck
- Impact Mode for concrete drilling
- New and improved side handle for greater control
- Variable Speed Control
- Well balanced and compact design – only 190mm long

Supplied without batteries, charger and case. Includes belt hook, side handle.

155Nm
TORQUE

RFC
WITH GYRO SENSOR

36V

BRUSHLESS



NEW 18V Brushless 140Nm High Torque Impact Drill BARE TOOL

DV18DC(G4Z)

- 140Nm hard torque output
- Reactive Force Control with Gyro Sensor delivers additional Anti-Kickback safety for users
- 13mm heavy-duty metal keyless chuck
- Impact Mode for concrete drilling
- 18V High-Performance brushless motor
- Variable Speed Control
- Compact and well balanced design – only 190mm long

Supplied without batteries, charger and case. Includes belt hook, side handle.

140Nm
TORQUE

RFC
WITH GYRO SENSOR

18V

BRUSHLESS



NEW 18V Brushless 70Nm Impact Drill BARE TOOL

DV18DE(G4Z)

- 70Nm hard torque output
- Reactive Force Control (RFC) Anti-kickback feature
- 18V high performance brushless motor
- Robust aluminium gear case and 13mm keyless chuck

Supplied without batteries, charger and case.

18V

BRUSHLESS

RFC
REACTIVE FORCE CONTROL



Model	Chuck Size	Wood	Steel	Masonry	No Load Speed	Hard Torque	Weight	Length	Voltage
DV36DC	1.5 - 13mm	118mm	20mm	20mm	0 - 550/min (Low) / 0 - 2,200/min (Hi)	155Nm	2.8kg (BSL36A18)	190mm	36V
DV18DC	1.5 - 13mm	102mm	16mm	20mm	0 - 5,00/min (Low) / 0 - 2,200/min (Hi)	140Nm	2.8kg (BSL36A18)	190mm	18V
DV18DE	1.5 - 13mm	52mm	13mm	13mm	0 - 5,50/min (Low) / 0 - 2,000/min (Hi)	70Nm	1.9kg (BSL36A18)	159mm	18V

Up to 1500W of Grinding Power and Superior Safety Features

NEW 36V Brushless 1500W 125mm Safety Angle Grinder Kit

G3613DVF(GRZ)

- Outstanding grinding power equivalent to 1500W Max Output
 - Self Protection Mode - Reduces power output in event of overheating to allow the tool to continue to operate while cooling down the motor
 - AUTO Mode adjusts speed automatically
 - 36V High Powered brushless motor
 - Anti-kickback, brake and restart protection safety features
 - Superior dust and water protection mesh filter
 - Variable Speed function for greater flexibility
 - Safety Deadman switch design
 - Tool-less guard quick adjustment system
 - Dual LED Lights to provide better visibility
- Includes 2x Multi Volt batteries (BSL36A18), 32min. Rapid Charger, Grinding Wheel, Side Handle, Wrench and Case



Also available as a bare tool G3613DVF(G4Z)



Model	Disc Dia.	Spindle Thread	Hole Dia.	Switch Type	No Load Speed	No Load Speed	Max Output (W)	Weight	Voltage
G3613DVF(GRZ)	125mm	M14 x 2	22.23mm	Paddle Switch	10,000/min (normal)	5,500/min (AUTO)	1500W	2.8kg	36V
G3613DVF(G4Z)	125mm	M14 x 2	22.23mm	Paddle Switch	10,000/min (normal)	5,500/min (AUTO)	1500W	2.8kg	36V

Superior features maximised for optimal performance

These next generation angle grinders G3613DVE/DVF now exceed the performance of equivalent AC models. Both models have been optimally designed with the latest safety and high performance features.



AUTO Mode

The speed automatically shifts from 55% to 100% depending on the load preserving the battery energy.



Variable Speed Control

Adjust the rotation speed anywhere between 3,200 - 10,000rpm to suit the application.



Superior Dust Filtration

New mesh filter designed for additional protection from dust, reducing contamination of internal components



Tool-less Guard Adjustment

Easy and hassle free quick guard adjustment system ensures this essential safety component is used correctly.



Super Slim Body Design

Smallest in class circumference diameter - only 56mm making it easy to grip and control for extended periods.



Dual LED Lights

Dual LEDs illuminate both sides of wheels for superior visibility.

Super High Powered Brushless Angle Grinders

NEW 36V Brushless 1500W 125mm Angle Grinder Kit

G3613DVE(GRZ)

- Outstanding grinding power equivalent to 1500W Max Output
 - Self Protection Mode - Reduces power output in event of overheating to allow the tool to continue to operate while cooling down the motor
 - AUTO Mode adjusts speed automatically
 - 36V High Powered brushless motor
 - Anti-kickback, brake and restart protection safety features
 - Superior dust and water protection mesh filter
 - Variable Speed function for greater flexibility
 - Easy on/off Slide Switch
 - Shock-Sensor - Tool shut-off automatically when dropped
 - Fast charging with 32min Rapid Smart Charging technology
- Includes 2x Multi Volt batteries (BSL36A18), 32min. Rapid Charger, Grinding Wheel, Side Handle, Wrench and Case



BONUS BATTERY
T's & C's apply

Also available as a bare tool G3613DVE(G4Z)

36V

1500W
MAX OUTPUT

BRUSHLESS

MV
MULTI VOLT

Model	Disc Dia.	Spindle Thread	Hole Dia.	Switch Type	No Load Speed	No Load Speed	Max Output (W)	Weight	Voltage
G3613DVE(GRZ)	125mm	M14 x 2	22.23mm	Slide Switch	10,000/min (normal)	5,500/min (AUTO)	1500W	2.8kg	36V
G3613DVE(G4Z)	125mm	M14 x 2	22.23mm	Slide Switch	10,000/min (normal)	5,500/min (AUTO)	1500W	2.8kg	36V

NEW 18V Brushless 125mm Angle Grinder BARE TOOL

G1813DA(G4Z)

- Anti-kickback, Restart and Overload Protection
 - Anti-vibration handle (LVH)
 - Slide Switch for easy on/off operation
 - Mesh filter for improved dust protection
 - Powerful grinding with 750W Max Output
- Supplied without batteries, charger and case.



18V

BRUSHLESS

LVH
LOW VIBRATION HANDLE

NEW 18V Brushless 125mm Safety Angle Grinder BARE TOOL

G1813DF(G4Z)

- Anti-kickback, Restart and Overload Protection
 - Anti-vibration handle (LVH)
 - Paddle Switch for added safety
 - Mesh filter for improved dust protection
 - Powerful grinding with 750W Max Output
- Supplied without batteries, charger and case.



18V

BRUSHLESS

LVH
LOW VIBRATION HANDLE

Model	Disc Size	Spindle Thread	Hole Dia.	No Load Speed	Motor Type	Safety Protection	Switch Type	Weight	Voltage
G1813DA	125mm	M14 x 2	22.23mm	8,000/min	Brushless	Overload, Restart, Anti-kickback	Slide Switch	1.7kg	18V
G1813DF	125mm	M14 x 2	22.23mm	8,000/min	Brushless	Overload, Restart, Anti-kickback	Paddle Switch	1.7kg	18V

High Powered 36V Angle Grinders Bare Tools

36V Brushless 1500W 125mm Angle Grinder BARE TOOL

G3613DVF(G4Z)

- Outstanding grinding power equivalent to 1500W Max Output
- AUTO Mode adjusts speed automatically
- Anti-kickback, brake and restart protection safety features
- Superior dust and water protection mesh filter
- Variable Speed function for greater flexibility
- Paddle Switch for added safety

Supplied without batteries, charger and case.

36V

BRUSHLESS

1500W
MAX OUTPUT



36V Brushless 125mm Angle Grinder BARE TOOL

G3613DB(G4Z)

- Variable speed function for greater control
- AUTOMode adjusts speed automatically
- Soft-start, Anti-kickback, brake and restart safety protection
- Paddle Switch

Supplied without batteries, charger and case.

36V

BRUSHLESS



36V Brushless 180mm Angle Grinder BARE TOOL

G3618DA(G4Z)

- Variable speed function for greater control
- AUTOMode adjusts speed automatically
- Soft-start, Anti-kickback, brake and restart safety protection
- Dust and water resistant*

Supplied without batteries, charger and case.

36V

BRUSHLESS



36V Brushless 230mm Angle Grinder BARE TOOL

G3623DA(G4Z)

- Variable speed function for greater control
- AUTOMode adjusts speed automatically
- Soft-start, Anti-kickback, brake and restart safety protection
- Dust and water resistant*

Supplied without batteries, charger and case.

36V

BRUSHLESS



Model	Disc Size	Spindle Thread	Hole Dia.	No Load Speed	No Load Speed	No Load Speed	Weight	Voltage
G3613DVF	125mm	M14 x 2	22.23mm	3,000/min (Normal)	5,500/min (Auto)	10,000/min (high)	2.8kg	36V
G3613DB	125mm	M14 x 2	22.23mm	3,000/min (Normal)	5,500/min (Auto)	9,500/min (high)	2.6kg	36V
G3618DA	180mm	M14 x 2	22.23mm	5,300/min (Normal)	3,200/min (Auto)	3,000/min (high)	4.7kg	36V
G3623DA	230mm	M14 x 2	22.23mm	5,300/min (Normal)	3,200/min (Auto)	3,000/min (high)	4.9kg	36V

High Powered Brushless Die Grinders

36V Brushless 1500W 125mm Angle Grinder BARE TOOL

G3613DVE(G4Z)

- Outstanding grinding power equivalent to 1500W Max Output
- Self Protection Mode - Reduces power output in event of overheating to allow the tool to continue to operate while cooling down the motor
- AUTO Mode adjusts speed automatically
- 36V High Powered brushless motor
- Anti-kickback, brake and restart protection safety features
- Superior dust and water protection mesh filter
- Variable Speed function for greater flexibility
- Easy on/off Slide Switch
- Shock-Sensor - Tool shut-off automatically when dropped

Supplied without batteries, charger and case.



Model	Disc Dia.	Spindle Thread	Hole Dia.	Switch Type	No Load Speed	No Load Speed	Max Output (W)	Weight	Voltage
G3613DVE	125mm	M14 x 2	22.23mm	Slide Switch	10,000/min (normal)	5,500/min (AUTO)	1500W	2.8kg	36V

18V Brushless 6mm Die Grinder BARE TOOL

GP18DA(G4Z)

- Variable Speed function and soft-start for greater control
- AUTO mode or Transmission mode
- Anti-kickback, brake, overload and restart protection
- Slide Switch tent speed control

Supplied without batteries, charger and case.



Switch Type	Collet Size	Wheel Capacity	Mode	Switch Type	Variable Speed	No Load Speed	Motor Type	Weight	Voltage
Slide Switch	6mm	50mm	Transmission/Auto	Paddle Switch	Yes (Dial)	7,000 - 29,000/min	Brushless	1.5kg	18V

18V Brushless 6mm Die Grinder BARE TOOL

GP18DB(G4Z)

- Variable Speed function and soft-start for greater control
- AUTO mode or Transmission mode
- Anti-kickback, brake, overload and restart protection
- Paddle Switch and consistent speed control

Supplied without batteries, charger and case.



Switch Type	Collet Size	Wheel Capacity	Mode	Switch Type	Variable Speed	No Load Speed	Motor Type	Weight	Voltage
Paddle Switch	6mm	50mm	Transmission/Auto	Paddle Switch	Yes (Dial)	7,000 - 29,000/min	Brushless	1.5kg	18V

New High Powered SDS+ Brushless Rotary Hammers

NEW 36V Brushless 28mm SDS+ Rotary Hammer Kit

DH3628DC(GGZ)

- High powered 36V brushless motor
- 3 mode action : Rotary Drilling, Hammer Drilling, or Chiseling
- 2-step speed control
- Quick release chuck for standard 13mm drill bit
- Anti-kickback (RFC) for increased user safety
- Low Vibration Handle (LVH) with dynamic shock absorber (UVP)
- Auto-stop function and constant speed control
- High performance 99.7% HEPA filter dust extractor system

Includes 2x 1080W Batteries (BSL36A18), Rapid Charger, HEPA filter system, Quick Release Chuck, Side Handle, Depth Gauge, Cases.



BONUS BATTERY
T's & C's apply



NEW 36V Brushless 28mm SDS+ Rotary Hammer BARE TOOL

DH3628DC(G4Z)

- 3 mode action : Rotary Drilling, Hammer Drilling, or Chiseling
- 2-step speed control
- Anti-kick back (RFC) for increase user safety
- Low Vibration Handle (LVH) with dynamic shock absorber (UVP)
- Quick release chuck for standard 13mm drill bit
- Auto-stop function and constant speed control

Supplied without batteries, drill bit, charger and case. Includes Quick Release Chuck, Side Handle, Depth Gauge.



NEW 18V Brushless 26mm SDS+ Rotary Hammer BARE TOOL

DH1826DA(G4Z)

- High performance brushless motor
- 3 mode action : Rotary Drilling, Hammer Drilling, or Chiseling
- 2-speed control
- Anti-kick back (RFC) for increase user safety
- Low Vibration Handle (LVH)
- Auto-stop function and constant speed control

Supplied without batteries, drill bit, charger and case. Includes Side Handle, Depth Gauge



Model	Bit Size	Wood	Steel	Masonry	No Load Speed	Full Load Impact Rate	Motor Type	Weight	Voltage
DH3628DC(GGZ)	SDS+	32mm	13mm	28mm	0 - 950/min	0 - 4,300/min	Brushless	4.1kg	36V
DH3628DC(G4Z)	SDS+	32mm	13mm	28mm	0 - 950/min	0 - 4,300/min	Brushless	3.9kg	36V
DH1826DA(G4Z)	SDS+	27mm	13mm	26mm	0 - 950/min	0 - 4,300/min	Brushless	2.8kg	18V

High Powered SDS+ And SDS-MAX Rotary Hammers

36V Brushless 40mm SDS-MAX Rotary Hammer Kit

DH36DMA(GAZ)

- High performance 36V brushless motor
- 2 mode action: Hammer drilling or chiselling
- Huge 8.5J impact energy
- LVH Anti-vibration system
- Constant speed control
- SDS-MAX bit shank

Includes 2x 1440W Multi Volt batteries (BSL36B18), Rapid Charger, Side Handle and Case

Also available as a bare tool DH36DMA(G4Z)



18V Brushless 26mm SDS+ Rotary Hammer BARE TOOL

DH18DBL(G4Z)

- High powered 18V brushless motor
- 3 mode action : Rotary Drilling, Hammer Drilling, or Chiseling
- 2.6J High Impact Energy
- Anti-kick back (RFC) for increase user safety
- Constant speed control
- Ultra bright LED light

Supplied without batteries, drill bit, charger and case. Includes, Side Handle, Depth Gauge.



18V Brushless 18mm SDS+ Rotary Hammer BARE TOOL

DH18DPA(G2Z)

- High performance brushless motor
- 2 mode action : Rotary Drilling, Hammer Drilling)
- 2-speed control
- Anti-kick back (RFC) for increase user safety
- Low Vibration Handle (LVH)
- Built-in Auto-stop function and constant speed control

Supplied without batteries, drill bit, charger. Includes Side Handle, Depth Gauge, Case.



Model	Bit Size	Wood	Steel	Masonry	No Load Speed	Full Load Impact Rate	Motor Type	Weight	Voltage
DH36DMA(GAZ)	SDS-MAX	-	-	40mm	0 - 590/min	0 - 2,860/min	Brushless	4.1kg	36V
DH18DBL(G4Z)	SDS+	27mm	13mm	26mm	0 - 1050/min	0 - 3,950/min	Brushless	3.5kg	18V
DH18DPA(G2Z)	SDS+	18mm	13mm	18mm	0 - 1080/min	0 - 5,500/min	Brushless	2.1kg	18V

High Torque 36V Impact Wrench Kits

36V 3/4" 1,100Nm Impact Wrench Kit

WR36DA(GRZ)

- Huge 1,100Nm tightening torque (1,800Nm Nut Busting torque¹)
- Variable speed control
- 4-stage tightening mode selector
- IP56 Dust and Water resistant²

Supplied with 2x Multi Volt batteries (BSL36A18), 32min. Rapid Charger, and case

Also available as a bare tool WR36DA(G4Z)



36V 1/2" 1,050Nm Impact Wrench Kit

WR36DB(GRZ)

- Huge 1,050Nm tightening torque (1,650Nm Nut Busting torque¹)
- Variable speed control
- 4-stage tightening mode selector
- IP56 Dust and Water resistant²

Supplied with 2x Multi Volt batteries (BSL36A18), 32min. Rapid Charger, and case

Also available as a bare tool WR36DB(G4Z)



36V Brushless 1/2" 770Nm Impact Wrench Kit

WR36DE(GRZ)

- Huge 770Nm tightening torque (1,050Nm Nut Busting torque¹)
- Variable speed control & 4-stage tightening mode selector
- IP56 Dust and Water resistant²
- Auto stop mode for repetitive tightening applications

Supplied with 2x Multi Volt batteries (BSL36A18), 32min. Rapid Charger, and case.

Also available as a bare tool WR36DE(G4Z)



Supplied without socket.

Model	Tightening Torque	Nut Busting Torque	Bolt Capacity	High Tension Bolt	No Load Speed (High)	Full Impact Rate	Weight	Voltage
WR36DA(GRZ)	1,100Nm	1,800Nm	M12 - M30	M10 - M24	0-1,500/min	0 - 2,900/min	3.7kg (BSL36A18)	36V
WR36DB(GRZ)	1,050Nm	1,650Nm	M12 - M30	M10 - M24	0-1,500/min	0 - 2,900/min	3.7kg (BSL36A18)	36V
WR36DE(GRZ)	770Nm	1050Nm	M10 - M20	M10 - M16	0 - 2,400/min	0 - 3,400/min	2.6kg (BSL36A18)	36V

New Powerful High Torque Impact Wrench Bare Tools

NEW 36V Brushless 1/2" 380Nm Impact Wrench BARE TOOL

WR36DH(G4Z)

- Extremely powerful 36V High Performance brushless motor
- Variable Speed Function for better control
- 700Nm Nut Busting Torque¹
- 4-Stage Tightening mode selector with Auto Stop to prevent over-tightening
- IP56 Dust and Water Resistant²
- Compact, Lightweight and well balanced at only 2.0kg
- Integrated work light for illumination of the work area

Supplied without batteries, charger, socket and case. Includes Belt Hook.

36V

IP56

BRUSHLESS



NEW 36V Brushless 1/2" 1400Nm Impact Wrench BARE TOOL

WR36DG(G4Z)

- Extremely powerful 36V High Performance brushless motor
- Variable Speed Function for better control
- 2000Nm Nut Busting Torque¹
- 4-Stage Tightening mode selector with Auto Stop to prevent over-tightening
- IP56 Dust and Water Resistant²
- Integrated work light for illumination of the work area

Supplied without batteries, charger, socket and case. Includes Belt Hook.

36V

IP56

BRUSHLESS

2000Nm
NUTBUSTING TORQUE



Supplied without socket.

NEW 36V Brushless 3/4" 1900Nm Impact Wrench BARE TOOL

WR36DF(G4Z)

- Extremely powerful 36V High Performance brushless motor
- Variable Speed Function for better control
- 2,400Nm Nut Busting Torque¹
- 4-Stage Tightening mode selector with Auto Stop to prevent over-tightening
- IP56 Dust and Water Resistant²
- Integrated work light for illumination of the work area

Supplied without batteries, charger, socket and case. Includes Belt Hook.

36V

IP56

BRUSHLESS

2400Nm
NUTBUSTING TORQUE



Supplied without socket.

Model	Tightening Torque	Nut Busting Torque	Bolt Capacity	High Tension Bolt	No Load Speed (High)	Full Impact Rate	Weight	Voltage
WR36DF(G4Z)	1900Nm	2400Nm	M12 - M36	M10 - M27	0-1,500/min	0 - 2,500/min	3.9kg (BSL36A18)	36V
WR36DG(G4Z)	1400Nm	2000Nm	M12 - M33	M10 - M24	0-1,500/min	0 - 2,500/min	3.9kg (BSL36A18)	36V
WR36DH(G4Z)	380Nm	700Nm	M12 - M20	M8 - M16	0 - 2,700/min	0 - 3,600/min	2.0kg (BSL36A18)	36V

Powerful High Torque Impact Wrench Bare Tools

36V Brushless 1/2" 770Nm Impact Wrench BARE TOOL

WR36DE(G4Z)

- Extremely powerful 36V High Performance brushless motor
- Variable Speed Function for better control
- 1,050Nm Nut Busting Torque¹
- 4-Stage Tightening mode selector with Auto Stop to prevent over-tightening
- IP56 Dust and Water Resistant²
- Compact, Lightweight and well balanced at only 2.6kg

Supplied without batteries. charger, socket and case. Includes Belt Hook.



36V Brushless 3/4" 1100Nm Impact Wrench BARE TOOL

WR36DA(G4Z)

- Extremely powerful 36V High Performance brushless motor
- Variable Speed Function for better control
- 1,800Nm Nut Busting Torque¹
- 4-Stage Tightening mode selector
- IP56 Dust and Water Resistant²

Supplied without batteries. charger, socket and case. Includes Belt Hook.



36V Brushless 1/2" 1050Nm Impact Wrench BARE TOOL

WR36DB(G4Z)

- Extremely powerful 36V High Performance brushless motor
- Variable Speed Function for better control
- 1,650Nm Nut Busting Torque¹
- 4-Stage Tightening mode selector
- IP56 Dust and Water Resistant²

Supplied without batteries, charger, socket and case. Includes Belt Hook.



NEW 18V Brushless 1/2" 345Nm Impact Wrench BARE TOOL

WR18DH(G4Z)

- High Performance brushless motor
- Variable Speed Function for better control
- 600Nm Nut Busting Torque¹
- 4-Stage Tightening mode selector with Auto Stop to prevent over-tightening
- IP56 Dust and Water Resistant²

Supplied without batteries. charger, socket and case. Includes Belt Hook.



Model	Tightening Torque	Nut Busting Torque	Bolt Capacity	High Tension Bolt	No Load Speed (High)	Full Impact Rate	Weight	Voltage
WR36DE(G4Z)	770Nm	1,050Nm	M10 - M22	M8 - M16	0-2,400/min	0 - 3,400/min	2.6kg (BSL36A18)	36V
WR36DA(G4Z)	1,100Nm	1,800Nm	M12 - M30	M10 - M24	0-1,500/min	0 - 2,900/min	3.9kg (BSL36A18)	36V
WR36DB(G4Z)	1,050Nm	1,650Nm	M12 - M30	M12 - M30	0 - 1,500/min	0 - 3,900/min	3.9kg (BSL36A18)	36V
WR18DH(G4Z)	345Nm	600Nm	M12 - M22	M8 - M16	0 - 2,800/min	0 - 4,000/min	2.0kg (BSL36A18)	18V

Woodworking Power Tools

36V Brushless 1/2" Plunge Router Kit

M3612DA(GPZ)

- Variable speed control
- Superior cutting speeds over AC models
- Functional switch design located on the handle
- Highly accurate depth adjustment system
- Brake function

Supplied with 2x Multi Volt batteries (BSL36A18), Rapid Charger, dust port, guide, and case.

Also available as a bare tool M3612DA(G4Z)



BONUS BATTERY
T's & C's apply

36V

MV
MULTI VOLT

BRUSHLESS

Collet Chuck	Switch Position	No Load Speed	Plunge Depth	Motor Type	Weight	Voltage
1/2"	Handle	11,000 - 25,000min	50mm	Brushless	3.8kg	36V

18V Brushless 1/4" Laminate Trimmer BARE TOOL

M1808DA(G4Z)

- On/off switch with restart protection
- Variable speed and constant speed control
- LED light for improved visibility
- Accurate rack and pinion system

Supplied without batteries, charger and case. Includes dust shoot.



18V

BRUSHLESS

Collet Chuck	Switch Position	No Load Speed	Plunge Depth	Base Mount	Motor Type	Weight	Voltage
1/4"	Grip	10,000 - 30,000min	40mm	64.8Ø	Brushless	1.7kg	18V

36V Brushless 76mm Belt Sander BARE TOOL

SB3608DA(G4Z)

- 5-stage variable speed dial
- AutoMode to tackle various applications
- Easy to adjust tracking system and quick belt change system
- 76mm x 533mm capacity

Supplied without batteries, charger and case. Includes 80 grit belt & dust bag.



Sanding Capacity	Belt Change	Speed Modes	Variable Belt Speed	Motor Type	Dust Collection	Weight	Voltage
76 x 533mm	Tool-free	5 + AUTO mode	122-450m/min	Brushless	Bag	4.5kg (BSL36B18)	36V

18V Brushless 125mm Random Orbital Sander BARE TOOL

SV1813DA(G4Z)

- Electronic brake for added safety
- Variable speed dial to set your ideal sanding speed
- 7,000 - 11,000/min no-load speed
- Easy hook & loop system for quick changing of sanding discs

Supplied without batteries, charger and case. Includes dust bag.



18V

BRUSHLESS

Motor Type	Capacity	No Load Speed	Brake	Variable Speed	Dust Collection	Overall Length	Weight	Voltage
Brushless	125mm	7,000 - 11,000/min	Yes	Yes	Dust Bag	158mm	1.8kg (BSL36A18)	18V

Next Gen. Drill & Driver Kit

New and Improved Drill & Driver Twin Pack

NEW 36V Brushless Impact Drill & Impact Driver Kit

KC36DC(GRZ)

36V 13mm 155Nm High Powered Impact Drill (DV36DC)

- Reactive Force Control Gyro Sensor Anti-kickback feature
- Robust aluminium gear case

36V 215Nm High Powered Impact Driver (WH36DC)

- Triple Hammer design
- 5-mode selector – to tackle a variety of applications

Includes 2x 1080W Multi Volt batteries (BSL36A18), Rapid Charger and case



NEW 18V Brushless Impact Drill & Impact Driver Kit

KC18DC(GRZ)

18V 13mm 140Nm High Powered Impact Drill (DV18DC)

- Reactive Force Control Gyro Sensor Anti-kickback feature
- Robust aluminium gear case

18V 210Nm High Powered Impact Driver (WH18DC)

- Triple Hammer design
- 5-mode selector – to tackle a variety of applications

Includes 2x 1080W Multi Volt batteries (BSL36A18), Rapid Charger and case



NEW 18V Brushless Impact Drill & Impact Driver Kit

KC18DE(GAZ)

18V 13mm 70Nm Brushless Impact Drill (DV18DE)

- Reactive Force Control (RFC) Anti-kickback feature
- Robust aluminium gear case and 13mm keyless chuck

18V 175Nm Brushless Impact Driver (WH18DE)

- High torque compact model with superior handling
- Variable speed trigger

Includes 2x 1080W Multi Volt batteries (BSL36A18), Rapid Charger and Case



Model	Torque Rating	No Load Speed	Impact Mode	Light Type	Motor Type	Length	Weight	Voltage
DV36DC	155Nm	550/min (Lo) / 2,200/min (Hi)	0 – 33,000/min	LED	Brushless	190mm	2.8kg	36V
WH36DC	215Nm	0 – 4,100/min	0 – 3,400/min	3x LED	Brushless	114mm	1.6kg	36V
DV18DC	140Nm	500/min (Lo) / 2,000/min (Hi)	0 – 30,000/min	LED	Brushless	190mm	2.8kg	18V
WH18DC	210Nm	0 – 3,700/min	0 – 4,000/min	3x LED	Brushless	114mm	1.6kg	18V
DV18DE	70Nm	550/min (Lo) / 2,000/min (Hi)	0 – 30,000/min	LED	Brushless	159mm	1.9kg	18V
WH18DE	175Nm	0 – 3,100/min	0 – 3,400/min	LED	Brushless	114mm	1.6kg	18V

High Performing Brushless Tool Kits

18V Brushless Impact Drill & Impact Driver Kit

KC18DBSL(GDZ)

18V 13mm 70Nm Brushless Impact Drill (DV18DE)

- Reactive Force Control (RFC) Anti-kickback feature
- Robust aluminium gear case and 13mm keyless chuck

18V 175Nm Brushless Impact Driver (WH18DE)

- High torque compact model with superior handling
- Variable speed trigger

Includes 2x 1080W Multi Volt batteries (BSL36A18), Rapid Charger and Case



Model	Torque Rating	No Load Speed	Impact Mode	Light Type	Motor Type	Length	Weight	Voltage
DV18DBSL	70Nm	550/min (Lo) / 2,000/min (Hi)	0 - 30,000/min	LED	Brushless	159mm	1.9kg	18V
WH18DBSL	175Nm	0 - 3,100/min	0 - 3,400/min	LED	Brushless	114mm	1.6kg	18V

NEW 36V Brushless 155Nm High Torque Impact Drill Kit

DV36DC(GRZ)

- 155Nm hard torque output
- Reactive Force Control with Gyro Sensor
- New optimally designed 36V brushless motor and inverter circuit
- 13mm heavy-duty metal keyless chuck
- Impact Mode for concrete drilling
- New and improved side handle for greater control
- Variable Speed Control
- Well balanced and compact design – only 190mm long

Includes 2x 1080W Multi Volt batteries (BSL36A18), Rapid Charger and Case



Torque	Chuck Size	Wood	Steel	Masonry	No Load Speed	Motor Type	Weight	Length	Voltage
155Nm	1.5 - 13mm	118mm	20mm	20mm	0 - 550/min (Low) / 0 - 2,200/min (Hi)	Brushless	2.8kg (BSL36A18)	190mm	36V

36V Brushless 215Nm Impact Driver Kit

WH36DC(GGZ)

- Triple Hammer design with electronic control for smooth powerful operation
- 215Nm max tightening torque
- Compact and lightweight design for easy access into tight spaces
- 5-Mode Selector: Soft / Power / Bolt / Bolt Single / Self Drilling Mode

Includes 2x 1080W Multi Volt batteries (BSL36A18), Rapid Charger and case



Tightening Torque	Drive	Bolt Capacity	Screw Capacity	No Load Speed	Full Load Impact Rate	Overall Length	Weight	Voltage
215Nm	1/4" Hex	5 - 18mm	4 - 10mm	0-3,700/min	0 - 4,100/min	114mm	1.6kg (BSL36A18)	36V

High Performance 36V Brushless Sabre Saws

36V High Powered Brushless Sabre Saw Kit

CR36DA(GGZ)

- Heavy Duty twin rotation counterweight drive system
- Orbital mode cutting or straight cutting mode
- UVP Anti-vibration system
- 4-stage selector - low, medium, high and AUTO mode
- 36V High Performance brushless motor
- Quick and easy tool-less blade change
- Durable cylindrical housing
- Quick and easy tool-less shoe adjustment system
- LED light and large pivoting hook

Supplied with 2x Multi Volt batteries (BSL36A18), 32min. Rapid Smart Charger, blade and carry case



BRUSHLESS

UVP
USER VIBRATION PROTECTION

MV
MULTI VOLT

36V

1080W
HIGH OUTPUT BATTERY

Model	Pipe	Steel	Steel	No Load Speed	No Load Speed	No load Speed	Weight	Voltage
CR36DA(GGZ)	130mm	19mm	300mm	1,700/min (slow)	2,000/min (medium)	3,000/min (high)	4.8kg (BSL36A18)	36V

36V High Powered Brushless Sabre Saw BARE TOOL

CR36DA(G4Z)

- Heavy Duty twin rotation counterweight drive system
- Orbital mode cutting or straight cutting mode
- UVP Anti-vibration system
- 4-stage selector - low, medium, high and AUTO mode
- 36V High Performance brushless motor
- Quick and easy tool-less blade change
- Durable cylindrical housing
- Quick and easy tool-less shoe adjustment system
- LED light and large pivoting hook

Supplied without batteries, charger and case. Includes blade.



36V

UVP
USER VIBRATION PROTECTION

BRUSHLESS

Model	Pipe	Steel	Steel	No Load Speed	No Load Speed	No load Speed	Weight	Voltage
CR36DA(G4Z)	130mm	19mm	300mm	1,700/min (slow)	2,000/min (medium)	3,000/min (high)	4.8kg (BSL36A18)	36V

High Performance 18V Sabre Saws Bare Tools

18V Brushless Sabre Saw BARE TOOL

CRI8DBL(G4Z)

- 18V High-Performance brushless motor
- A low vibration handle for maximum comfort
- LED lights for convenient operation in the dark
- Tool-less blade change for quick and easy blade changes
- Adjustable pivoting shoe provides user depth control and optimised blade wear
- 4-mode (Low, Medium, High, Auto Mode)

Supplied without batteries, charger and case. Includes blade.



BRUSHLESS

LVH
LOW VIBRATION HANDLE

Model	Pipe	Wood	Mild Steel	No Load Speed	Stroke Length	Overall length	Weight	Voltage
CRI8DBL(G4Z)	130mm	130mm	19mm	0 - 2,500/min	19mm)	435mm	3.4kg (BSL36A18)	18V

18V Brushless Sabre Saw BARE TOOL

CRI8DMA(G4Z)

- 18V High-Performance brushless motor
- Anti-vibration system for low vibration and maximum comfort
- LED lights for convenient operation in the dark
- Tool-less blade change for quick and easy blade changes
- Adjustable pivoting shoe provides user depth control and optimised blade wear
- 29mm stroke length with a cutting capacity of 300mm in wood

Supplied without batteries, charger and case. Includes blade.



BRUSHLESS

UVP
USER VIBRATION PROTECTION

Model	Pipe	Wood	No Load Speed	No Load Speed	No load Speed	Overall length	Weight	Voltage
CRI8DMA(G4Z)	130mm	300mm	1,500/min (slow)	2,000/min (medium)	3,000/min (high)	346mm	2.7kg (BSL36A18)	18V

18V One Handed Sabre Saw BARE TOOL

CRI8DA(G4Z)

- Compact and light weight
- One handed operation
- Well balance design
- Tool-less blade change for quick and easy blade changes
- Adjustable pivoting shoe provides user depth control and optimised blade wear
- Unique jigsaw blade compatibility

Supplied without batteries, charger and case. Includes blade.



Model	Pipe	Wood	Mild Steel	Stroke Length	No load Speed	Overall length	Weight	Voltage
CRI8DA(G4Z)	50mm	50mm	12mm	13mm	0 - 3,000/min	350mm	1.7kg (BSL36A18)	18V

High Powered 36V Brushless Saw Kits

36V Brushless 255mm Slide Compound Mitre Saw Kit

C3610DRA(HAZ)

- Powered by 36V High Performance brushless motor
- Compact slide system eliminates the need for rear clearance
- Front bevel lock and dual bevel: Left / Right 48°
- Powered by 36V 1440W high powered Multi Volt battery
- Sliding sub-fence to support large pieces

Supplied with 2x Multi Volt batteries (BSL36B18), 52 min. Rapid Charger, blade and wrench



Blade Dia.	Mitre Angle	Bevel Angle	Cross Cut Capacity	Compound 45° x 45°	Bevel 45°	Mitre 45°	Weight	Voltage
255mm (10")	L: 55° R: 60°	L: 48° R: 48°	89mm x 292mm	45mm x 204mm 25mm x 204mm	45mm x 292mm 25mm x 292mm	89mm x 204mm 89mm x 204mm	20kg (BSL36B18)	36V

36V Brushless 185mm Circular Saw Kit

C3607DA(GVZ)

- 185mm Blade - max cut 62mm at 90°
- Quick and easy blade change
- Silent mode allows for quieter operation

Includes 2x 1440W Multi Volt batteries (BSL36B18), Rapid Charger, blade, and case



Blade Dia.	Max Cut 90°	Max Cut 45°	No Load Speed	LED Light	Weight	Voltage
185mm	62mm	47.5mm	4,300/min (2,000 min)	YES	4.4kg (BSL36B18)	36V

36V 254mm Brushless Professional Worksite Table Saw Kit

C3610DRJ(GAZ)

- Large table size (730 x 560mm)
- Highly accurate rack and pinion adjustment system
- Powered by 1440W High Powered Multi Volt Batteries
- Soft start and electric brake
- Large adjustable rip fence with a max. cutting capacity of 889mm
- Stand sold separately (#374769)

Includes 2x 1440W Multi Volt batteries and Rapid Charger.



Blade Dia.	Cutting Depth	Motor	No Load Speed	Rip Fench Length	Table Size	Soft Start	Weight	Voltage
254mm (10")	90° 79mm 45° 57mm	Brushless	5,000/min	R: 889mm L: 445mm	730mm x 560mm	Yes	29.5kg	36V

18V Brushless Kits Powered by Next Gen. 4.0Ah Battery

NEW 18V Brushless 13mm 70Nm Impact Drill Kit

DV18DE(GMZ)

- Compact, powerful brushless model, with superior handling
- Reactive Force Control safety feature
- New robust aluminium gear-case
- 22 stage clutch
- 2 speed gearbox (High/Low)
- Heavy duty 13mm single sleeve metal keyless chuck

Includes 2x 4.0Ah Li-ion Compact Batteries (BSL1840M), Smart Charger and Carry Case.



BRUSHLESS



NEW 18V Brushless Impact Drill & Angle Grinder Kit

KC182DE(GRZ)

18V Brushless 13mm 70Nm Impact Drill (DV18DE)

- 70 hard torque output
- Compact, powerful brushless model, with superior handling
- Heavy Duty 13mm keyless chuck and 22 stage clutch

18V Brushless 125mm Angle Grinder (G1813DA)

- Anti-kickback, overload and restart protection
- Slide Switch for easy operation
- Anti-vibration handle

Includes 2x 4.0Ah Li-ion Compact Batteries (BSL1840M), Smart Charger and Case.



BRUSHLESS



NEW 18V Brushless 3-Tool Kit

KC183DA(GRZ)

18V Brushless 13mm 70Nm Impact Drill (DV18DE)

- Compact, powerful brushless model, with superior handling
- Heavy Duty 13mm keyless chuck and 22 stage clutch

18V Brushless 1/2" 345Nm Impact Wrench (WR18DH)

- Compact and well balance design
- IP56 Dust and Water resistant
- 4-stage speed selector and forward/reverse trigger

18V Brushless 125mm Angle Grinder (G1813DA)

- Anti-kickback, overload and restart protection
- Slide Switch and anti-vibration handle

Includes 2x 4.0Ah Li-ion Compact Batteries (BSL1840M), Smart Charger and Case.



BRUSHLESS



BONUS BATTERY
T's & C's apply

High Powered Brushless MULTI VOLT™ Combo Kits

NEW 36V/18V Multi Volt Brushless 4-Tool Kit

KC36184DA(GRZ)

18V 70Nm Brushless Impact Drill (DV18DBSL)

- Compact, powerful brushless model, with superior handling
- Heavy Duty 13mm keyless chuck and 22 stage clutch

18V 175Nm Brushless Impact Driver (WH18DBSL)

- Variable speed trigger for greater control
- 175Nm max tightening torque

18V 125mm Brushless Angle Grinder (G1813DA)

- Anti-kickback, overload and restart protection
- Slide Switch for easy operation

36V Brushless 185mm Circular Saw (C3607DA)

- High powered saw with max cut 62mm at 90°
- Silent mode, soft start and electric brake function

Supplied with 2x 1080W Multi Volt batteries (BSL36A18),
32min. Rapid Smart Charger and Case 3 & Case 4.



BRUSHLESS



NEW 36V/18V Multi Volt Brushless 5-Tool Kit

KC18365DA(GRZ)

18V 70Nm Brushless Impact Drill (DV18DBSL)

- Compact, powerful brushless model, with superior handling
- Heavy Duty 13mm keyless chuck and 22 stage clutch

18V 175Nm Brushless Impact Driver (WH18DBSL)

- Variable speed trigger for greater control
- 175Nm max tightening torque

18V 125mm Brushless Angle Grinder (G1813DA)

- Anti-kickback, overload and restart protection
- Slide Switch for easy operation

36V Brushless 185mm Circular Saw (C3607DA)

- High powered saw with max cut 62mm at 90°
- Silent mode, soft start and electric brake function

18V Brushless 130mm Sabre Saw (CR18DMA)

- 18V High-Performance brushless motor
- Anti-vibration system for low vibration and maximum comfort

Supplied with 2x 1080W Multi Volt batteries (BSL36A18), 32min. Rapid Smart Charger and Case 3 & 4.



BRUSHLESS



High Powered Brushless MULTI VOLT™ Combo Kits

NEW 36V/18V Multi Volt Brushless 6-Tool Kit

KC18366DA(GRZ)

18V 70Nm Brushless Impact Drill (DV18DE)

- Compact, powerful brushless model, with superior handling

18V 175Nm Brushless Impact Driver (WH18DE)

- Variable speed trigger for greater control

18V 125mm Brushless Angle Grinder (G1813DA)

- Anti-kickback, overload and restart protection

36V High Powered 185mm Circular Saw (C3607DA)

- High powered saw with max cut 62mm at 90°

18V Brushless 130mm Sabre Saw (CR18DMA)

- Anti-vibration system for low vibration

18V Brushless 125mm Orbital Sander (SV1813DA)

- Electronic brake and variable speed dial

Supplied with 2x 1080W Multi Volt batteries (BSL36A18), 32min. Rapid Smart Charger and Large Tool Bag



BONUS BATTERY
T's & C's apply



BRUSHLESS



NEW 36V/18V Multi Volt Brushless 8-Tool Kit

KC18368DE(GRZ)

18V 70Nm Brushless Impact Drill (DV18DE)

- Compact, powerful brushless model, with superior handling

18V 175Nm Brushless Impact Driver (WH18DE)

- Variable speed trigger for greater control

18V 125mm Brushless Angle Grinder (G1813DA)

- Anti-kickback, overload and restart protection

36V Brushless 185mm Circular Saw (C3607DA)

- High powered saw with max cut 62mm at 90°

18V Brushless 130mm Sabre Saw (CR18DMA)

- Anti-vibration system for low vibration

18V Brushless 18mm SDS+ Rotary Hammer (DH18DPA)

- AUTO-stop and Anti-vibration handle

18V Brushless 125mm Orbital Sander (SV1813DA)

- Electronic brake and variable speed dial

18V 3-Stage Blower (RB18DC)

- Powerful compact blower with 3-stage control

Supplied with 2x 1080W Multi Volt batteries (BSL36A18), 32min. Rapid Smart Charger and 2x Case 4s.



2X BONUS BATTERIES
T's & C's apply



BRUSHLESS

High Spec 18V/36V MULTI VOLT™ 10-Tool Kit

NEW 36V/18V Multi Volt 10-Tool Kit

KC183610DE(GRZ)

18V 70Nm Brushless Impact Drill (DV18DE)

- Compact, powerful brushless model
- Reactive Force Control Safety Function
- Heavy duty 13mm metal keyless chuck

18V 175Nm Brushless Impact Driver (WH18DE)

- Variable speed trigger for greater control
- High torque compact model

18V 125mm Brushless Angle Grinder (G1813DA)

- Anti-kickback, overload and restart protection
- Soft-start function and slide switch configuration

36V Brushless 185mm Circular Saw (C3607DA)

- High powered saw with max cut 62mm at 90°
- Silent mode and soft-start function

18V Brushless 130mm Sabre Saw (CR18DMA)

- Anti-vibration system for low vibration and maximum comfort
- 4-stage selector (low, medium, high and auto mode)

18V Brushless 26mm SDS+ Rotary Hammer (DH18DBL)

- Consistent Speed Control and Reactive Force Control
- Variable speed and reverse

18V Brushless Multi Tool (CV18DBL)

- AUTO mode automatically increase or decreases cutting speed
- High Oscillating speeds for fast cutting
- Soft-start and variable speed control

18V Brushless 1/4" Laminate Trimmer (M1808DA)

- Electronic brake and variable speed dial
- Accurate rack and pinion adjustment system

18V 82mm Planer (P18DSL)

- Electronic brake and variable speed dial
- Heavy duty aluminium base for added durability

18V 3-Stage Blower (RB18DC)

- Powerful compact blower with 3-stage control
- Approx. 3.5m³/min air volume

Supplied with 2x 1080W Multi Volt batteries (BSL36A18), 32min. Rapid Smart Charger and 2x Case 4s.



Premium 36V Brushless MULTI VOLT™ Kits

NEW 36V Premium Brushless Impact Drill & Wrench Kit

KC362DPL(GRZ)

36V Brushless 155Nm High Powered Impact Drill (DV36DC)

- 155Nm hard torque output
- Reactive Force Control with Gyro Sensor
- New optimally designed 36V brushless motor
- Inverter circuit allows for continuously high speed and under load operation
- 13mm heavy-duty metal keyless chuck
- Impact Mode for concrete drilling

36V Brushless 1/2" 380Nm Impact Wrench (WR36DH)

- Compact, well-balanced, and powerful
- 380Nm tightening torque
- IP56 Water and Dust resistant
- 5-mode selector

Supplied with 2x 1080W Multi Volt batteries (BSL36A18), 32min. Rapid Smart Charger and Case 3



NEW 36V Premium Brushless 3-Tool Kit

KC363DRBL(GRZ)

36V Brushless 13mm 155Nm Impact Drill (DV36DC)

- 155Nm hard torque output
- Reactive Force Control with Gyro Sensor
- New optimally designed 36V brushless motor
- Inverter circuit allows for continuously high speed and under load operation

36V Brushless 125mm Safety Angle Grinder (G3613DVF)

- Outstanding grinding power equivalent to 1500W Max Output
- Self Protection Mode - Reduces power output in event of overheating
- AUTO Mode adjusts speed automatically
- Anti-kickback, brake and restart protect

36V Brushless 1/2" 770Nm Impact Wrench (WR36DE)

- Huge 770Nm tightening torque (1,050Nm Nut Busting torque¹)
- Variable speed control & 4-stage tightening mode selector
- IP56 Dust and Water resistant²
- Auto stop mode for repetitive tightening applications

Supplied with 2x 1080W Multi Volt batteries (BSL36A18), 32min. Rapid Smart Charger and Case 3



Premium 36V Brushless MULTI VOLT™ Kits

NEW 36V Premium Brushless 3-Tool Kit

KC363DC(GRZ)

36V Brushless 13mm 155Nm Impact Drill (DV36DC)

- Reactive Force Control with Gyro Sensor
- New optimally designed 36V brushless motor
- Inverter circuit allows for continuously high speed and under load operation

36V Brushless 215Nm Impact Driver (WH36DC)

- Triple Hammer design for higher torque
- 5-mode selector for a variety of applications

36V Brushless 185mm Circular Saw (C3607DA)

- High powered saw with max cut 62mm at 90°
- Silent mode, soft start and electric brake function

Supplied with 2x 1080W Multi Volt batteries (BSL36A18), 32min. Rapid Charger and Case 3 & 4.



NEW 36V Premium Brushless 5-Tool Kit

KC365DC(GRZ)

36V Brushless 13mm 155Nm Impact Drill (DV36DC)

- Reactive Force Control with Gyro Sensor
- New optimally designed 36V brushless motor
- Inverter circuit allows for continuously high speed and under load operation

36V Brushless 215Nm Triple Hammer Impact Driver (WH36DC)

- Triple Hammer design for higher torque
- 5-mode selector for a variety of applications

36V Brushless 185mm Circular Saw (C3607DA)

- High powered saw with max cut 62mm at 90°
- Silent mode, soft start and electric brake function

36V Brushless 125mm Safety Angle Grinder (G3613DVF)

- Outstanding grinding power equivalent to 1500W Max Output
- Self Protection Mode
- Anti-kickback, brake and restart protect

36V Brushless Heavy Duty Sabre Saw (CR36DA)

- Heavy Duty twin rotation counterweight drive system
- UVP Anti-vibration system
- 4-stage selector - low, medium, high and AUTO mode

Supplied with 2x 1080W Multi Volt batteries (BSL36A18), 32min. Rapid Smart Charger and Large Toolbag



Premium 36V Brushless MULTI VOLT™ Kits

NEW 36V Premium Brushless 6-Tool Kit

KC366DC(GRZ)

36V Brushless 13mm 155Nm Impact Drill (DV36DC)

- Reactive Force Control with Gyro Sensor
- New optimally designed 36V brushless motor
- Inverter circuit allows for continuously high speed under load operation

36V Brushless 215Nm Triple Hammer Impact Driver (WH36DC)

- Triple Hammer design for higher torque
- 5-mode selector for a variety of applications

36V Brushless 185mm Circular Saw (C3607DA)

- High powered saw with max cut 62mm at 90°
- Silent mode, soft start and electric brake function

36V Brushless 125mm Safety Angle Grinder (G3613DVF)

- Superior grinding power equivalent to 1500W Max Output
- Self Protection Mode - Reduces power output in event of overheating
- Anti-kickback, brake and restart protect

36V Brushless Heavy Duty Sabre Saw (CR36DA)

- Heavy Duty twin rotation counterweight drive system
- UVP Anti-vibration system
- 4-stage selector - low, medium, high and AUTO mode

36V Brushless 28mm SDS+ Rotary Hammer (DH3628DC)

- 3 mode action : Rotary Drilling, Hammer Drilling, or Chiseling
- 2-step speed control
- Anti-kick back (RFC) for increase user safety
- Low Vibration Handle with dynamic shock absorber (UVP)

Supplied with 2x 1080W Multi Volt batteries (BSL36A18), 32min. Rapid Smart Charger and X-Large Toolbag



How to Redeem your Bonus Item.

To claim a redemption bonus item, please go to www.hikoki.co.nz/redemption-form/ or alternatively scan the QR code. You can also send your redemption claim via email redemptions@hikoki.co.nz with your PROOF OF PURCHASE and PHOTO OF BARCODE featured on the packaging along with your Name, Delivery Address, Phone Number, Email Address and the Bonus Item your are claiming for.

REDEMPTION TERMS & CONDITIONS

This redemption offer is valid only to consumers who purchase (1) of the selected qualifying HiKOKI NZ Power Tool Kits between 1 August - 31 October 2023.

Proof of purchase is essential to validate claim and a photo of the barcode located on the packaging. Please go to www.hikoki.co.nz/promotions and complete the online redemption form or send it to redemptions@hikoki.co.nz. Please attach a COPY of your purchase receipt/invoice with the claim form. Please provide a physical NZ address, no PO. Boxes. Offer is only valid for NZ residents. Receipt must clearly show model(s) of tool and or tool kit purchased, date of purchase, place of purchase, The name of the Authorised HPT Dealer purchased from and the price paid to substantiate the claim. Hitachi models do not qualify. HiKOKI NZ reserves the right to request further information regarding proof of purchase from the redeemer if circumstances warrant. Keep your original receipt for warranty purposes. HiKOKI NZ accepts no liability for claims that may be delayed, misdirected causing them to not be received by the closing date. **Redemption offer will be dispatched within 6 weeks of receipt of claim.** While stocks last. An alternative bonus may be provided at the discretion of HiKOKI NZ (Excludes C10RJ offer). Offer only valid when products purchased through authorised HiKOKI NZ resellers. Purchase of second hand or parallel imported tools or tools for use in a Hire Environment do not qualify. This promotion cannot be used in conjunction with any other offers. Redemption offer claims must be received by 15th November 2023. For full terms & conditions, go to www.hikoki.co.nz/promotions. Additional terms apply to the C10RJ Bonus offer.



Scan this QR code to redeem.

Powerful Gasless Metal Connector Nailer Kit

NEW 36V Gasless 65mm Metal Connector Nailer Kit

NR3665DA(GMZ)

- 36V Air Drive system, nails driven deep by compressed air
- Powered by HiKOKI's ultra-fast brushless motor
- Low running costs, no gas cartridge required
- Easily set tip of nailer at the hole in the metal connector
- Designed for fastening various types of pre-punched hole metal connectors into wood including joist hangers
- Zero ramp-up time from standby
- Consistent performance and power output

Supplied with 2x Multi Volt batteries (BSL36A18), Rapid Charger, safety glasses and case.



Driving Type	Nail Angle	Nail Length	Magazine Angle	Nose Type	Loading Capacity	Firing Mode	Voltage
Gasless Air Drive	34°	38mm - 65mm	36°	Positive Placement Probe	31 nails	Full sequential	36V (no gas)

18V Gasless 90mm Framing Nailer & 16GA Angle Brad Nailer Kit

KC18DCGM(GKZ)

18V Gasless 90mm Framing Nailer (NR1890DBCL)

- 18V Air Drive system, nails driven deep by compressed air
- Dry-fire lockout function

18V Gasless 16GA Angle Brad Nailer (NT1865DA)

- 18V Air Drive system, nails driven deep by compressed air
- Zero ramp-up time from standby

Supplied with 2x 1080W batteries (BSL36A18), Rapid Charger, Cases



Model	Driving Type	Nail Length	Nail Type	Depth Adjustment	Loading Capacity	Firing Mode	Voltage
NR1890DBCL	Air Drive	50mm - 90mm	30°-34° D-head	Tool-less	47 nails	Full sequential	18V Gasless
NT1865DA	Air Drive	32mm - 65mm	20° 16GA C Series	Tool-less	100 nails	Full sequential	18V Gasless

Powerful Gasless Framing and Brad Nailer Kits

18V Gasless 90mm Framing Nailer Kit

NR1890DBCL(GMZ)

- 18V Air Drive system, nails driven deep by compressed air
- Zero ramp-up time from standby
- Suits 30-34° D-Head Series Nails between 50 - 90mm

Supplied with 2x Multi Volt batteries (BSL36A18), Rapid Smart Charger, safety glasses and case

Also available as a bare tool NR1890DBCL(G5Z)



18V Gasless 15GA Angled Brad Nailer Kit

NT1865DBAL(GYZ)

- 18V Air Drive system, nails driven deep by compressed air
- Zero ramp-up time from standby
- Suits 34° 15GA DA Series Nails between 32 - 65mm

Supplied with 1x 1080W battery (BSL36A18), Rapid Smart Charger, safety glasses and case

Also available as a bare tool NT1865DBAL(G4Z)



18V Gasless 16GA Straight Brad Nailer Kit

NT1865DBSL(GYZ)

- 18V Air Drive system, nails driven deep by compressed air
- Zero ramp-up time from standby
- Suits 16GA C Series Nails between 32 - 65mm

Supplied with 1x 1080W Battery (BSL36A18), Rapid Charger, safety glasses and case

Also available as a bare tool NT1865DBAL(G4Z)



18V Gasless 16GA Angled Brad Nailer Kit

NT1865DA(GXZ)

- 18V Air Drive system, nails driven deep by compressed air
- Zero ramp-up time from standby
- Suits 20° 16GA C Series Nails between 32 - 65mm

Supplied with 2x 3.0Ah Compact batteries (BSL1830C), Rapid Charger, safety glasses and case

Also available as a bare tool NT1865DA(G4Z)



NEW 18V Gasless 18GA Straight Brad Nailer BARE TOOL

NT1850DA(G4Z)

- 18V Air Drive system, nails driven consistently deep by compressed air
- Zero ramp-up time from standby
- Suits 18GA C1 Series Nails between 16 - 50mm

Supplied without batteries, charger and case. Includes safety glasses.



Model	Driving Type	Nail Length	Nail Type	Depth Adjustment	Loading Capacity	Firing Mode	Voltage
NR1890DBCL(GMZ)	Air Drive	50mm - 90mm	30°-34° D-head	Tool-less	47 nails	Full sequential	18V Gasless
NT1865DA(GXZ)	Air Drive	32mm - 65mm	20° 16GA C Series	Tool-less	100 nails	Full sequential	18V Gasless
NT1865DBAL(GYZ)	Air Drive	32mm - 65mm	34° 15GA DA Series	Tool-less	100 nails	Full sequential	18V Gasless
NT1865DBSL(GYZ)	Air Drive	32mm - 65mm	16GA C Series	Tool-less	100 nails	Full sequential	18V Gasless
NT1850DA(G4Z)	Air Drive	16mm - 50mm	18GA C1 Series	Tool-less	100 nails	Full sequential	18V Gasless

Factoring in regular servicing and consumable cost savings, unit serviceability, ramp-up time, productivity and power output, tool system compatibility and toolless operating adjustment into overall tool efficiency in a construction environment, compared to HiKOKI models NR90GC2 & NR90AD.

Premium 18V Lighting Bare Tool Accessories

NEW 18V 4000lm Tower Light BARE TOOL

UB18DG(H4Z)

- Foldable compact design for easy transport and storage
- 3x independently pivoting LED lights providing up to 4,000lm
- Telescopic head height from 1,035mm to 2,150mm
- IP55 rated for protection from dust and water
- Approx. 10.5 hours run time at 1,000lm (BSL36A18)
- 4 steps brightness adjustment dial
- Power via Battery or AC Adaptor
- Optional carry bag available (#379769)

Supplied without batteries and charger.
Includes AC Adaptor. Supplied without batteries, charger or carry case.

LED

IP55

18V



18V 250lm LED Inspection Light BARE TOOL

UB18DE(E4Z)

- Adjustable brightness between 120 and 250lm
- 2 Lighting modes (high / low)
- Direction of the light can rotate 130 degrees
- Approx. 28 hour run time at 250lm (BSL36A18)²

Supplied without batteries and charger.

LED

18V



18V 750lm Worksite LED Lantern BARE TOOL

UB18DF(E4Z)

- Adjustable brightness between 320 and 750lm
- 2 Lighting modes (high / low)
- 360° illumination
- Hanging hook for added versatility
- Approx. 29 hour run time at 320lm (BSL36A18)²

Supplied without batteries and charger.

LED

18V



NEW 18V 1050lm LED Spot Light BARE TOOL

UB18DH(E4Z)

- Adjustable brightness between 400 and 1050lm
- 4 Lighting modes (Strobe, Low, Mid, High)
- Capable of lighting distances up to 670m away
- 90° head rotation range
- IP55 Water and Dust resistant¹
- Approx. 24 hour run time at 400lm (BSL36A18)²

Supplied without batteries and charger.

LED

IP55

18V



Model	Brightness (lumens)	Dust & Water Resistance	Runtime (BSL36A18)	Individual LEDs	Adjustable Lighting Angle	Light Modes	Weight	Voltage
UB18DE(E4Z)	250lm	N/A	up to 29 hours*	1	130°	2 modes	0.8kg (BSL36A18)	18V
UB18DF(E4Z)	750lm	N/A	up to 28 hours*	24	360°	2 modes	0.9kg (BSL36A18)	18V
UB18DH(E4Z)	2,000lm	IP55	up to 24 hours*	1	90°	4 modes	0.9kg (BSL36A18)	18V
UB18DG(H4Z)	4000lm	IP55	up to 10.5 hours*	66	360°	4 modes	8.1kg (BSL36A18)	18V

*On lowest setting

Lighting Solutions ranging from 250lm to 10,000lm

18V 4000lm IP65 Worksite LED Light BARE TOOL

UB18DC(H4Z)

- Adjustable brightness between 700 - 4,000lm
- 15 step brightness adjustment dial
- Direction of the light can rotate 138 degrees
- Remaining battery level indicator
- USB port for charging USB compatible devices
- IP65 Dust and Water resistant

Supplied without batteries and charger.



18V 10,000lm IP65 Worksite LED Light BARE TOOL

UB18DD(H4Z)

- Adjustable brightness between 1000 - 10,000lm
- 15 step brightness adjustment dial
- Remaining battery level indicator
- USB port for charging USB compatible devices
- IP65 Dust and Water resistant
- Can be powered by mains power (Adaptor included)

Supplied without batteries and charger.



18V 2000lm IP54 Worksite LED Light BARE TOOL

UB18DB(H4Z)

- Adjustable brightness between 350 - 2,000lm
- 30 step brightness adjustment dial
- Direction of the light can rotate 360 degrees
- Remaining battery level indicator & Hanging hook
- IP54 Water and Dust resistant
- Approx 32 hour run time at 350lm (BSL36A18)²

Supplied without batteries and charger.



18V LED Worklamp BARE TOOL

UB18DGL(L0Z)

- 16 step rotation : Angle adjustable within a range of 120° both upward and downward
- 2 brightness modes : High mode or low mode
- Max brightness of 250lx/1m in high mode
- Approx. 15 hours of runtime off in low mode (BSL36A18)²

Supplied without batteries and charger.



Model	Brightness (lumens)	Dust & Water Resistance	Runtime (BSL36A18)	Individual LEDs	Adjustable Lighting Angle	Light Modes	Weight	Voltage
UB18DC(H4Z)	4,000lm	IP65	up to 20 hours*	60	138°	N/A	1.9kg (BSL36A18)	18V
UB18DD(H4Z)	10,000lm	IP65	up to 9 hours*	216	144°	Included	4.1kg (BSL36A18)	18V
UB18DB(H4Z)	2,000lm	IP54	up to 32 hours*	1	360°	2 modes	1.2kg (BSL36A18)	18V
UB18DGL(L0Z)	250lx	N/A	up to 15 hours*	36	120°	2 modes	2.35kg (BSL36A18)	18V

1. These products are designed to be resistant to dust and water. However it is not guaranteed that they will not fail. Refer to User Manual for recommended use.

2. The values are for reference purposes. They vary depending on the material and operating conditions.

*On lowest setting

Next Gen. 36V Outdoor Power Equipment Bare Tools

36V Brushless 350mm Chainsaw BARE TOOL

CS3635DB(G4Z)

- Powerful 36V brushless motor delivering high-powered cutting
- 350mm bar size
- Tool-less chain tensioner and chain changing
- Lower vibration levels compared to CS3630DA

Supplied without batteries and charger.



36V

BRUSHLESS

Also available in 300mm Bar CS3630DB(G4Z)

Model	Bar Length	Chain Speed	Oil Tank Capacity	Chain Changing	Chain Tensioning	Motor Type	Weight	Voltage
CS3630DB	300mm	14.9m/s	120mL	Tool-less	Tool-less	Brushless	3.8kg	36V
CS3635DB	350mm	14.9m/s	120mL	Tool-less	Tool-less	Brushless	3.8kg	36V

36V 560mm Hedge Trimmer BARE TOOL

CH3656DA(G4Z)

- 4-stage speed selector
- Approx. 60min. of runtime per charge (BSL36A18)
- Triple-edged 560mm blade for high performance cutting
- Durable aluminium gearbox

Supplied without batteries and charger.



36V

Blade Length	Effective Length	Blade Pitch	Blade Type	Speed Settings	Overall Length	Weight	Voltage
620mm	560mm	35mm	Triple Edge Blade	4-speeds	1088mm	4.1kg	36V

36V Brushless Blower BARE TOOL

RB36DA(G4Z)

- High-efficiency and durable brushless motor
- 4-speed switch plus turbo mode
- Max air volume 800m³/h when in turbo mode

Supplied without batteries and charger.



36V

BRUSHLESS

Motor Type	Air Velocity	Air Volume (Std)	Air Volume (Turbo)	Modes	Overall Length	Weight	Voltage
Brushless	45m/s	680m ³ /h	800m ³ /h	4-modes + turbo mode	940mm	3.5kg	36V

36V Straight Shaft Line Trimmer BARE TOOL

CG36DB(G4Z)

- Variable speed control panel
- 3-mode selector (High, Middle, Eco mode)
- Low noise, low vibration
- Loop handle for easy control
- Hassle-free start-up and set-up
- Rear motor positioning for greater balance

Supplied without batteries and charger.



36V

Runtime (BSL36B18)	No Load Speed	Handle Type	Weight	Voltage
46min (high) / 76min (mid) / 121min (low)	6,500/min (high) / 5,500/min (mid) / 4,000/min (low)	Loop	3.9kg	36V

Concrete specialty tools


Rebar Bender Cutter, Vibrator & Mixer.

36V Straight Shaft Line Trimmer BARE TOOL

CG36DB(G5Z)

- Variable speed control panel with 3-mode selector (High, Middle, Eco mode)
- Low noise, low vibration
- Bike handle for wider cutting motion
- Hassle-free start-up and set-up
- Rear motor positioning for greater balance

Supplied without batteries and charger.



36V

Runtime (BSL36B18)	No Load Speed	Handle Type	Weight	Voltage
46min (high) / 76min (mid) / 121min (low)	6,500/min (high) / 5,500/min (mid) / 4,000/min (low)	Bike Handle	4.2kg	36V

36V Brushless Rebar Bender / Cutter Kit

VB3616DA(GGZ)

- Cuts and bends high tensile rebar up to 16mm without sparks
- Fine adjustment dial and Automatic Reverse rotation mode
- Bend diameter of 62mm*
- Optional rollers available for bending stirrups (38mm)

Supplied with 2x Multi Volt batteries (BSL36A18), Rapid Charger, and case

*Refer to your local Territorial Authority for suitability

Also available as a bare tool VB3616DA(G4Z)



*When cutting into D48mm steel pipe and when using curve blade.

Bending / Cutting Capacity	Cutting Speed	Cutting	Bending	Weight	Voltage
10mm, 12mm, 16mm	3.8 sec	Approx. 170 (BSL36A18)	Approx. 310 (BSL36A18)	18.5kg	36V

36V Brushless Vibrator BARE TOOL

UV3628DA(G4Z)

- Φ 28mm flexible vibrating rod
 - Power mode for faster (15,000 vibrations per min) Expels air up to 40% faster
 - 2-speed with variable speed trigger and lock-on switch for continuous operation
- Supplied with battery cover. Battery, charger and case not included.



36V


BRUSHLESS

Rod Diameter	Rod Length	Vibrations (Hi)	Vibrations (Low)	High No Load Speed	Motor Type	Weight	Voltage
Φ 28mm	824mm	15,000/min	1,200/min	0 - 1,200	Brushless	2.5kg	36V

36V Brushless Mixer BARE TOOL

UM36DA(G4Z)

- 2-speed gearbox and constant speed control
 - Protective rubber shield, switch, and battery cover
 - Includes 150mm Φ mixer
- Includes rubber shield, battery cover, screw, shaft, and mixer.
Supplied without batteries, charger and case.



36V

BRUSHLESS

Screw Diameter	Spindle Thread	No Load Speed (Hi)	No Load Speed (Low)	Runtime per charge	Motor Type	Weight	Voltage
200mm	M14	0 - 1,200/min	0 - 500/min	38min (Hi) / 42min (Lo)	Brushless	3.8kg	36V

18V Cut-out Tool, Oil Pulse & Trimmer Bare Tools

18V 550°C Cordless Heat Gun BARE TOOL

RH18DA(G4Z)

- Highly visible LCD display for displaying ideal temperature status
- Two stage air volume / temperature settings (Low : 200L/min. High : 300L/min)
- Variable temperature control between 30 - 550°C

Supplied without batteries, charger and case. Includes round, curved and flat nozzle.



Stage I Temperature	Stage II Temperature	LCD Panel	Air Flow Volume (L/min)	LED Light	Weight	Voltage
30 - 400°	30 - 550°	Yes	Low: 200 / High: 300	Yes	0.6kg (Bare tool)	18V

18V Brushless 1/4" Cut-out Tool BARE TOOL

M18DYA(G4Z)

- High rotation speed of 28,000rpm
- Soft-start for smooth control
- Bright LED light
- Tool-less base adjustment

Supplied without batteries and charger. Includes 1/8" Collect, 2x 1/8" bit, 1/4" collet & wrench.



BRUSHLESS



Collet Capacity	LED Light	No Load Speed	Base Adjustment	Soft Start	Motor Type	Weight	Voltage
1/8" (3.18mm) , 1/4" (6.35mm)	Yes	28,000min	Tool-less	Yes	Brushless	1.1kg	18V

18V Brushless Oil Pulse Impact Driver BARE TOOL

WHP18DBL(W4Z)

- 39 Nm - Designed to operate with low noise and low recoil reducing cam-out
- 4 modes (Light mode, medium mode, strong mode, Tex mode)
- IP56 Water and Dust resistant

Supplied without batteries, charger and case.



BRUSHLESS

IP56

OIL PULSE



Tightening Torque	Drive	Bolt Capacity	Screw Capacity	No Load Speed	Full Load Impact Rate	Overall Length	Weight	Voltage
39Nm	1/4" Hex	5 - 10mm	4 - 8mm	0-2,800/min	0 - 2,900/min	136mm	1.6kg (BSL36A18)	18V

18V 300ml/600ml 3,000N Caulking Gun BARE TOOL

AC18DA(G5Z)

- Variable speed trigger, auto-reverse and variable pseed dial
- Tool-less piston ram replacement
- 0.9-14mm per second no load pushing speed
- Anti-drip and self-standing by placing body upside down

Supplied without batteries, charger and case.

Includes 600ml and 300ml holder set, belt hook & safety glasses



Model	Max. Pushing Force	No Load Speed	Capacity (ml)	Auto-Reverse	Overall Length	Weight	Voltage
AC18DA(G4Z)	3,000N	0.9 - 14mm/sec	300ml	Yes	482mm	2.3kg (BSL36A18)	18V
AC18DA(G5Z)	3,000N	0.9 - 14mm/sec	300ml / 600ml (sausage)	Yes	782mm	3.4kg (BSL36A18)	18V

18V & 36V Bare Tool Accessories

NEW 18V Bluetooth Radio BARE TOOL

URI8DA(H4Z)

- Bluetooth for wireless music connectivity
- Station preset for AM/FM
- Includes AC Power Adaptor
- Premium sound quality and digital tuner
- Digital Audio Broadcasting (DAB)
- Equaliser function for quality audio adjustment
- Backlit LED display
- Compact and lightweight

Supplied without batteries and charger.
Includes AC Power Adaptor



ARRIVING
LATE OCTOBER



18V Premium Site Radio

URI8DSDL(G4Z)

- Heavy duty design
- Premium quality sound
- IPX4 waterproof rating*
- Bluetooth technology

Supplied without batteries and charger.
Not compatible with battery BSL36B18.



18V IP54 Bluetooth Speaker

US18DA(H4Z)

- Powerful stereo speakers
- High quality stereo sound
- In-built equaliser
- USB and AUX input terminal

Supplied without batteries and charger.



18V LED Worklamp

UB18DGL(L0Z)

- 16 step, 240° adjustable head
- 250lx/1m brightness
- 2 mode brightness

Supplied without batteries and charger



18V Oscillating Workshop Fan

UF18DSAL(H0Z)

- 45° fan adjustment angle
- Up to 190m/min wind speed
- Automatic swing action

Supplied without batteries and charger



18V LED Torch & Worklight

UB18DJL(L0Z)

- 3 mode brightness
- 12 bright LED lights
- 270° adjustable head

Supplied without batteries and charger



18V Wet&Dry Vacuum

R18DSL(G4Z)

- 670mL capacity
- Max. airflow: 0.7m³/min
- Feature backflow protection

Supplied without batteries and charger.

Includes Brush nozzle, Crevice nozzle, Squeegee nozzle



36V Brushless 560ml Stick Vac

R36DB(H4Z)

- Bagless pre-filtration system
- 155W suction power
- Filter cleaning indicator light

Supplied without batteries and charger



18V Brushless 560ml Stick Vac

R18DB(G4Z)

- 560mL capacity
- 40W suction power
- Bagless pre-filtration system

Supplied without batteries and charger





One system. One solution.

BSL36B18
1440W
36V (4.0Ah)
18V (8.0Ah)



BSL36A18
1080W
36V (2.5Ah)
18V (5.0Ah)

One battery powering over 150+ Power Tools

MULTI VOLT
Extreme power

MULTI VOLT
Compact convenience



One battery powers both 36V and 18V tools.

MULTI VOLT Batteries & Rapid Charger Kit

UC18YSL3(HEZ)

- 2.5Ah at 36V or 5.0Ah at 18V
- Smart-tech cooling
- Fan-cooled rapid charging
- up to 1500 recharge cycles



MULTI VOLT Battery & Rapid Charger Kit

COMKITB(GLZ)

- 4.0Ah at 36V or 8.0Ah at 18V
- Smart-tech cooling
- Fan-cooled rapid charging
- up to 1500 recharge cycles



MULTI VOLT Rapid Smart Charger

UC18YSL3(HOZ)

- Charges 18V and Multi Volt batteries
- Cutting edge 3-way protection technology prevents battery from overcharging and overheating
- USB port - charges devices like smart phones



18V/36V Multi Port Rapid Charger

UC18YTSL(HOZ)

- Charges batteries in sequence or simultaneously
 - Charges 18V & 36V batteries
 - Fan-cooled charging
- Supplied without batteries



Get Unlimited Runtime

With the AC Power Adaptor!



HiKOKI



36V

AC POWER ADAPTOR COMPATIBLE TOOLS

Compatible with all 36V HiKOKI Power Tools.



5th ANNIVERSARY OFFER

Purchase a AC Full Size Worksite
255mm Table Saw w/Stand

C10RJ



REDEEM A BONUS
18V Brushless Drill & Driver Kit

KC18DD(GCZ)

via redemption

ONLY WHILE PROMOTIONAL STOCKS LAST
CHECK WEBSITE FOR BONUS AVAILABILITY BEFORE CLAIMING.
www.hikoki.co.nz/promotions

T's and C's Apply. See Page 29 for details.

HIKOKI



HIKOKI NZ



HIKOKI NZ



HIKOKI NZ

www.hikoki.co.nz